

TSP Name / TSP: EASTERN GAS TRANSMISSION AND STORAGE INC (116025180)

Critical: N

Notice Eff Date: 06/30/2021

Posting Date: 06/30/2021

Notice Eff Time: 09:17 AM

Posting Time: 09:17 AM

Notice Stat Desc: Supersede

Notice ID: 235472

Notice Type Desc: Planned Service Outage

Prior Notice: 234912

Reqr Rsp Desc: No response required

Response Date:

Response Time:

Subject: 2021 Annual Facility Outage Update as of 06/30/2021

Notice Text:

AFFECTED CUSTOMERS WILL BE NOTIFIED OF RESPECTIVE OUTAGES

Revised	Facility	Down Time (Days)	Out of Service	Back in Service	Reason for Outage	Service Impact
	Groveport	275	03/01/2021	11/30/2021	#2 Foundation Replacement	
	Harrison	65	05/03/2021	07/07/2021	Unit #4 Unavailable	
	Ardell I	105	05/10/2021	08/23/2021	Install F/S & Underground Check Valve	
	FKLC	56	05/12/2021	07/07/2021	Flow Test	
	Leidy	29	06/01/2021	06/30/2021	Boiler Maintenance	
	TL-255	87	06/01/2021	08/27/2021	Outage Horseneck to McIntire Jct.	
	Lebanon	36	06/01/2021	07/07/2021	Discharge Bottles	
	Woodhull	7	06/14/2021	07/07/2021	Unit #1 Pocket Automation	
	LN-30	20	06/17/2021	07/07/2021	Outage Morrisville to DeansBoro	
	JB Tonkin	18	06/19/2021	07/07/2021	Glycol Remediation	
	Woodhull	7	06/21/2021	07/07/2021	Units #1, #5, #6 Pocket Automation & Mufflers	
	Brookmans	56	06/21/2021	08/16/2021	Boiler Maintenance #1 and #2 Unavailable	
	LN-554	10	06/23/2021	07/03/2021	Outage Stateline To Robinson	
	LN-31	9	06/24/2021	07/03/2021	Outage Boom to Lindley	
	Albany/Wolf Rd	21	06/28/2021	07/19/2021	Wolf Rd M&R, Replace 4 Valves	
	LN-30	21	06/28/2021	07/19/2021	Outage Amsterdam to Kings Road	Possible Sec & IT
	LN-30	21	06/28/2021	07/19/2021	Outage Kings Road to Wolf Road	Possible Sec & IT
	Sabinsville	3	06/28/2021	07/01/2021	#8 & 9 Emissions Test	
*	Cornwell	4	06/28/2021	07/02/2021	Maintenance on #18	
	LN-378	5	06/28/2021	07/03/2021	Outage Valley Gate 29-A to Southbend	
	UP-1	8	07/01/2021	07/09/2021	Cleaning Pig Run from UP-13 to UP-7	
	LN-50	11	07/03/2021	07/14/2021	Outage Valley Gate 29 to Smicksburg	
*	Wolfrun	1	07/05/2021	07/05/2021	Microturbine Work	
	Leidy	2	07/06/2021	07/08/2021	#1-12 Emissions Test	

	JP-265	10	07/06/2021	07/16/2021	Outage South Oakford	
	Woodhull	12	07/07/2021	07/19/2021	Units #5, #6 Mufflers	
	LN-554	1	07/07/2021	07/07/2021	MFL Pig Run from Genessee Falls to Caledonia	
	UP-1	1	07/07/2021	07/07/2021	10" Mag & Caliper Pig Runs from UP-17 to UP-16	
*	Crayne	1	07/07/2021	07/08/2021	PCV & FCV Rebuild	Possible Firm, Sec & IT
	LN-1	18	07/08/2021	07/26/2021	Outage Boom to East Corning	
	UP-1	1	07/08/2021	07/08/2021	10" MFL Pig Run from UP-17 to UP-16	
	Craigs	24	07/08/2021	08/01/2021	Craigs M&R meter upgrade	
	Bridgeport	1	07/09/2021	07/09/2021	Capped ESD test & MCC work	
	State Line	1	07/12/2021	07/12/2021	#1-4 Emissions Test	
	Angelica	4	07/12/2021	07/16/2021	Outage Angelica M&R	
	UP-1	1	07/12/2021	07/12/2021	12" Mag & Caliper Pig Runs from UP-16 to UP-13	
	Newark	1	07/12/2021	07/13/2021	Maintenance on Units #1 and #2; One at a Time	
	Leesburg	1	07/13/2021	07/13/2021	Engine # 3 Annual Maint (Solar)	
	UP-1	1	07/13/2021	07/13/2021	12" MFL Pig Run from UP-16 to UP-13	
	Morrison Sta.	1	07/14/2021	07/14/2021	Capped ESD Test	
	TL-587	3	07/14/2021	07/17/2021	Outage Rural Valley to Valley Gate 29-A	
	Washington	2	07/14/2021	07/16/2021	Solar Work; Engine Unavailable One at a Time	
	LN-19	3	07/14/2021	07/17/2021	Outage Valley Gate 29 to LN-19; Regulation GA-1202 at Rural Valley	
	Woodhull	28	07/19/2021	08/16/2021	Units #3, #4 Pocket Automation, Mufflers	
	TL-342	5	07/19/2021	07/24/2021	Outage Mockingbird to Lambert	
	Beaver	1	07/19/2021	07/19/2021	#1-4 Emissions Test	
	LN-26	4	07/19/2021	07/23/2021	Outage Mcilwain to Southbend	
*	Leidy	17	07/20/2021	08/06/2021	M&R 2 Upgrades, No flow NF to Transco	Possible Firm, Sec & IT
	LN-550	9	07/20/2021	07/29/2021	Outage Cheningo to Deruyter	Possible Firm, Sec & IT
	Morrisville	4	07/20/2021	07/24/2021	Meter Run Replacement, No flow to TGP	
	UP-1	1	07/20/2021	07/20/2021	16" Mag & Caliper Pig Run from UP-13 to UP-7	
	Quantico	1	07/21/2021	07/21/2021	Engine # 1 Annual Maint (Solar)	
	UP-1	1	07/21/2021	07/21/2021	16" MFL Pig Run from UP-13 to UP-7	
*	Harmony Grove	16	07/21/2021	08/06/2021	M&R upgrades	
	Quantico	1	07/22/2021	07/22/2021	Engine # 2 Annual Maint (Solar)	
	LN-546	8	07/23/2021	07/31/2021	Outage Randall to Warsaw	
*	Leidy	11	07/26/2021	08/06/2021	Fire Gate Work E & F; Limited W/D	Possible Firm, Sec & IT
*	Leidy	1	07/26/2021	07/26/2021	Station Outage - ESD Pipeline Repair	Possible Firm, Sec & IT
	LN-34	5	07/26/2021	07/31/2021	Outage Sabinsville Jct to Bellan	
	Rural Valley	1	07/26/2021	07/26/2021	#1 Emissions Test	
	TL-380	4	07/26/2021	07/30/2021	Outage Mcilwain to Southbend	

	Herkimer M&R	4	08/01/2021	08/05/2021	Temporary Bypass and Measurement	
	LN-505	4	08/01/2021	08/05/2021	Outage Cortland High to Cortland Low	
	Cortland Low	4	08/01/2021	08/05/2021	Outage Cortland Low M&R	
	Washington	1	08/02/2021	08/02/2021	Station ESD	
	Washington	6	08/02/2021	08/08/2021	Glycol Remediation	
	Newark	6	08/02/2021	08/08/2021	Glycol Remediation	
	TL-400	6	08/02/2021	08/08/2021	Outage Pickerington to Groveport	Possible Firm, Sec & IT
	Oakford	10	08/02/2021	08/12/2021	#1-12 Emissions Test	
*	Leidy	1	08/02/2021	08/02/2021	Station Outage - ESD Pipeline Repair	Possible Firm, Sec & IT
	TL-373	10	08/02/2021	08/12/2021	Outage Bridgeport to Pepper	
	Groveport	1	08/03/2021	08/03/2021	Station ESD	
	LN-31	10	08/03/2021	08/13/2021	Outage Benjamin Hill to Ithaca High	
	Plum Run	2	08/03/2021	08/05/2021	Bidirectional Meter, No Flow from DEO	
	Lebanon	1	08/05/2021	08/05/2021	Station ESD	
	Newark	4	08/09/2021	08/13/2021	#3 Overhaul Exchange	
	Carroll	6	08/09/2021	08/15/2021	Glycol Remediation	
	LN-20	4	08/09/2021	08/13/2021	Outage Big Springs to Clermont	
	LN-548	5	08/09/2021	08/14/2021	Outage Brandes to W. Wellsville	Possible Sec & IT
*	Harrison	25	08/09/2021	09/03/2021	Unit #2 Overhaul	
	TL-400 ext. 1	7	08/09/2021	08/16/2021	Outage Valley Gate 29-A to Rural Valley Unit #3	Possible Firm, Sec & IT
	Myersville	2	08/10/2021	08/12/2021	Borescope Inspections	
	JP-265	7	08/10/2021	08/17/2021	Outage South Oakford to Earheart, Replace Mainline Crossovers	Possible Sec & IT
	LN-34	6	08/10/2021	08/16/2021	Outage Chatham to Dolly Place	
	LN-30	30	08/16/2021	09/15/2021	Outage South Cortland to Cheningo	Possible Sec & IT
	Jefferson	4	08/16/2021	08/20/2021	Meter Upgrades	
	Woodhull	28	08/16/2021	09/13/2021	Unit #2 Pocket Automation, Muffler, Cooler	
	LN-19	46	08/16/2021	10/01/2021	Outage JB Tonkin to Bell Point	
	LN-20	4	08/16/2021	08/20/2021	Outage McDowell to Hemphill	
	TL-590	2	08/16/2021	08/18/2021	Outage Burch to Crayne	
	Davis	1	08/16/2021	08/16/2021	#1 & 2 Emissions Test	
	LN-12	18	08/23/2021	09/10/2021	Outage Sabinsville to Stateline	
	East Avon	4	08/23/2021	08/27/2021	Outage East Avon M&R	
	JB Tonkin	1	08/23/2021	08/23/2021	#1 Emissions Test	
	TL-430	2	08/23/2021	08/25/2021	Outage Lancaster to 442 Jct.	Possible Firm, Sec & IT
	LL Tonkin	6	08/23/2021	08/29/2021	#3 Rebuild	
	Chambersburg	2	08/24/2021	08/26/2021	Borescope Inspections	
	TL-430	2	08/26/2021	08/28/2021	Outage Auburn Jct. to Oka Jct.	
	LL Tonkin	7	08/30/2021	09/06/2021	#2 Rebuild	
	TL-294	2	08/30/2021	09/01/2021	Outage 442 Jct. to Dry Fork 2	
	Ardell	0	08/30/2021	08/30/2021	#1-4 Emissions Test	

	LN-545	67	08/30/2021	11/05/2021	Outage Lamunion to Oneida	
	TL-387	1	08/30/2021	08/31/2021	Outage Vista Del Rio to W. Sabraton	
	LP-2	4	09/01/2021	09/05/2021	Caliper Pig Run from Beaver Dam to Leidy	
	LP-2	4	09/01/2021	09/05/2021	MFL Pig Run from Beaver Dam to Leidy	
	LP-2	4	09/01/2021	09/05/2021	Mag Pig Run from Beaver Dam to Leidy	
	TL-377	20	09/01/2021	09/21/2021	Outage Mockingbird to Furbee Jct.	
	LN-26	2	09/01/2021	09/03/2021	Outage Kiski River to Burrell	
	TL-361	6	09/06/2021	09/12/2021	Outage Dry Fork 2 to Marts Jct.	
	Rural Valley	6	09/06/2021	09/12/2021	Glycol Remediation #3	
	TL-400 ext. 1	7	09/07/2021	09/14/2021	Outage Allegheny River West to Allegheny River East	Possible Firm, Sec & IT
	LN-532	10	09/07/2021	09/17/2021	Outage Schenectady M&R to Lainheart	
	JP-40	3	09/07/2021	09/10/2021	Outage Henery Gate to Jeanette Station	
	TL-400 ext. 1	7	09/07/2021	09/14/2021	Outage Mushroom mine to Allegheny River West	Possible Firm, Sec & IT
	Schutte	1	09/07/2021	09/07/2021	#3 Emissions Test	
	TL-470	10	09/07/2021	09/17/2021	Outage Schenectady GA-132B to GA-132	
*	TL-400	1	09/08/2021	09/08/2021	Kopple Outage	
	LN-543	9	09/08/2021	09/17/2021	Outage Horseheads to Gardner	Possible Firm, Sec & IT
	LN-24	6	09/12/2021	09/18/2021	Outage Hume to Genesee Falls	
	LN-25	13	09/12/2021	09/25/2021	Outage, Kopple to Old Petersburg	
	LN-24	3	09/13/2021	09/16/2021	Outage Randall to Genesee Falls	
	Mockingbird	27	09/13/2021	10/10/2021	Solar Work; Engine Unavailable	
	TL-263	3	09/13/2021	09/16/2021	Outage Maple Fork to Chelyan 1st part	
*	TL-370	2	09/13/2021	09/15/2021	Oxford Valve Set	
*	TL-259	11	09/13/2021	09/24/2021	Pipe Replacement at Harrison Power Plant	Possible Sec & IT
	Racket	4	09/13/2021	09/17/2021	Fall Shut In Test	
	LN-280	10	09/13/2021	09/23/2021	Outage Big Run Jct. to Ardell	
	Punxsutawney	1	09/13/2021	09/13/2021	#1-3 Emissions Test	Possible Firm, Sec & IT
	Sharon	4	09/13/2021	09/17/2021	Fall Shut In Test	
	East Greenbush	6	09/15/2021	09/21/2021	M&R Upgrades	
	TL-371	8	09/16/2021	09/24/2021	Outage Oxford to Prunty Jct.	
	Spruce Run	1	09/20/2021	09/20/2021	#1-2 Emissions Test	
	LN-41	9	09/20/2021	09/29/2021	Outage Chatham to Woodhull	
	Southbend	4	09/20/2021	09/24/2021	Fall Shut In Test	
	Bridgeport	4	09/20/2021	09/24/2021	Fall Shut In Test	
	Greenlick	4	09/20/2021	09/24/2021	Fall Shut In Test	
	TL-370	4	09/27/2021	10/01/2021	Outage Oxford to Prunty Jct.	
	TL-263	3	09/27/2021	09/30/2021	Outage Maple Fork to Chelyan - 2nd Part	
	North Summit	4	09/27/2021	10/01/2021	Fall Shut In Test	
	Washington	1	09/27/2021	09/27/2021	#1 -3 Emissions Test	

	Quinlan	4	09/27/2021	10/01/2021	Fall Shut In Test	
	5th Sand	4	10/04/2021	10/08/2021	Fall Shut In Test	
	Gilmore	18	10/04/2021	10/22/2021	Valve Replacements	Possible Sec & IT
	Woodhull	4	10/04/2021	10/08/2021	Fall Shut In Test	
	Silver Springs	1	10/04/2021	10/04/2021	#1 & 2 Emissions Test	
	Tioga	4	10/04/2021	10/08/2021	Fall Shut In Test	
	FKLC	4	10/11/2021	10/15/2021	Fall Shut In Test	
	Sabinsville	4	10/11/2021	10/15/2021	Unit #4 Cooler	
	Sabinsville	4	10/11/2021	10/15/2021	Yard Valve Replacement	
	Cornwell	1	10/11/2021	10/11/2021	#9 Emissions Test	
	Sabinsville	4	10/11/2021	10/15/2021	Fall Shut In Test	
	Finnefrock	1	10/18/2021	10/18/2021	#8 Emissions Test	
	Leidy	4	10/18/2021	10/22/2021	Fall Shut In Test	
	Harrison	4	10/25/2021	10/29/2021	Fall Shut In Test	
	Murrysville	2	10/26/2021	10/28/2021	Fall Shut In Test	
	Ellisburg	4	11/01/2021	11/05/2021	Fall Shut In Test	
	Myersville	1	11/01/2021	11/01/2021	#1 & 2 Emissions Test	
	Sabinsville	4	11/15/2021	11/19/2021	Unit #9 Discharge Check Valve Replacement	
	Centre	1	11/29/2021	11/29/2021	#1 & 2 Emissions Test	
	Crayne	1	12/06/2021	12/06/2021	#1-3 Emissions Test	
	Chambersburg	1	12/13/2021	12/13/2021	#3 Emissions Test	